PLICATION PUBLISHED UNDER THE PATE

OOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau

10/549619

(43) International Publication Date 30 September 2004 (30.09.2004)

PCT

(10) International Publication Number WO 2004/083427 A3

(51) International Patent Classification7: C12N 15/10, C12P 21/02

(21) International Application Number:

PCT/DK2004/000195

(22) International Filing Date: 22 March 2004 (22.03.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: PA 2003 00430 60/455,858

20 March 2003 (20.03.2003) DK 20 March 2003 (20.03.2003) US

(71) Applicant (for all designated States except US): NUEVO-LUTION A/S [DK/DK]; Rønnegade 8, 5., DK-2100 Copenhagen Ø. (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): FRANCH, Thomas


[DK/DK]; Humlebæksgade 14, st.tv., DK-2200 Copenhagen N (DK). JACOBSEN, Soeren, Nyboe [DK/DK]; Frederiksvej 36, 4.tv., DK-2000 Frederiksberg (DK). RASMUSSEN, Torben [DK/DK]; Skovvej 13, DK-2750 Ballerup (DK). NEVE, Soeren [DK/DK]; Ellevaenget 4, DK-2800 Lyngby (DK). PEDERSEN, Henrik [DK/DK]; Frodesvej 24, DK-2880 Bagsvaerd (DK). GOULIAEV, Alex, Haahr [DK/DK]; Broendsted 223, DK-3670 Veksoe Sjaelland (DK).

- (74) Agent: HØIBERG A/S; St. Kongensgade 59A, DK-1264 Copenhagen K (DK).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,

[Continued on next page]

(54) Title: LIGATIONAL ENCODING OF SMALL MOLECULES

Synthesis of a linear molecule



(57) Abstract: The invention relates to a method for synthesising a bifunctional complex comprising an encoded molecule and an identifier polynucleotide identifying the chemical entities having participated in the synthesis of the encoded molecule, said method comprising the steps of i) providing a) at least one template comprising one or more codons capable of hybridising to an anti-codon, wherein said template is optionally associated with one or more chemical entities, and b) a plurality of building blocks each comprising an anti-codon associated with one or more chemical entities, and ii) hybridising the anti-codon of one or more of the provided building blocks to the template, iii) covalently linking said anti-codons and/or linking the at least one template with the anti-codon of at least one building block, thereby generating an identifier polynucleotide capable of identifying chemical entities having participated in the synthesis of the encoded molecule, iv) separating the template from one or more of the anti-codons hybridised thereto, thereby generating an at least partly single stranded identifier polynucleotide associated with a plurality of chemical entities, v) generating a bifunctional complex comprising an encoded molecule and an identifier polynucleotide identifying the chemical entities having participated in the synthesis of the encoded molecule, wherein said encoded molecule is generated by reacting at least two of said plurality of chemical entities associated with the identifier polynucleotide, and wherein said at least two chemical entities are provided by separate building blocks.

Select ligands & Amplify templates



PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:

as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,

TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report:
 17 February 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A. CLASSFICATION OF SUBJECT MATTER IPG-7 C12N15/10 C12P21/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) I PC 7 C12N C12P

Document	ation searched other than minimum documentation to the extent to	hat such documents are included in the field	n coombad	
Electronic o	data base consulted during the international search (name of data	a base and, where practical, search terms us	sed)	
EPO-Ir	iternal, WPI Data, PAJ, CAB Data,	Sequence Search, BIOSIS	, EMBASE	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.	
P , X	WO 2004/013070 A (NUEVOLUTION AS; PEDERSEN HENRIK (DK)) 12 February 2004 (2004-02-12)		1-123, 133-136, 153-198, 200-204	
	page 69, line 18 - page 71, lin figures 19,23B page 75, line 22 - page 76, lin			
P,X	WO 2004/016767 A (HARVARD COLLE 26 February 2004 (2004-02-26) cited in the application	1-123, 133-136, 153-198,		
	claims 1-103; figures 9,30-32,5	200-204		
		-/		
	or documents are listed in the continuation of box C.	X Patent family members are listed	in annex.	
Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document referring to an oral disclosure, use, exhibition or other means a* document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combined with one or more other such documents, such combination being obvious to a person skilled in the art. "8" document member of the same patent family		
118 OI II 18 2CI	ual completion of the international search	Date of mailing of the international sea	rch report	
	September 2004		2.7 DEC 2004	
ame and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk		Authorized officer		
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Hornig, H		



Int al Application No PCT/DK2004/000195

	ruation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	
	on the relevant passages	Relevant to claim No.
X	WO 02/103008 A (GOUILAEV ALEX HAAHR; NOERREGAARD-MADSEN MADS (DK); SLOEK FRANK ABILGA) 27 December 2002 (2002-12-27) cited in the application claims 1,77,78,104-132; figures 5-7	1-123, 133-136, 153-198, 200-204
A	WO 02/074929 A (KANAN MATTEW W; GARTNER ZEV J; LIU DAVID R (US); HARVARD COLLEGE (US)) 26 September 2002 (2002-09-26) cited in the application the whole document	1-123, 133-136, 153-198, 200-204
A	WO 95/04160 A (ISIS INNOVATION; SOUTHERN EDWIN (GB); CUMMINS WILLIAM JONATHAN (GB)) 9 February 1995 (1995-02-09) claims 1-27; figure 4	1-123, 133-136, 153-198, 200-204
A	WO 00/23458 A (UNIV LELAND STANFORD JUNIOR) 27 April 2000 (2000-04-27) cited in the application the whole document	1-123, 133-136, 153-198, 200-204
A	WALDER J A ET AL: "COMPLEMENTARY CARRIER PEPTIDE SYNTHESIS: GENERAL STRATEGY AND IMPLICATIONS FOR PREBIOTIC ORIGIN OF PEPTIDE SYNTHESIS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, US, vol. 76, no. 1, January 1979 (1979-01), pages 51-55, XP000857351 ISSN: 0027-8424 the whole document	1-123, 133-136, 153-198, 200-204
	VISSCHER J ET AL: "TEMPLATE-DIRECTED SYNTHESIS OF ACYCLIC OLIGONUCLEOTIDE ANALOGUES" JOURNAL OF MOLECULAR EVOLUTION, SPRINGER VERLAG, NEW YORK, NY, US, vol. 28, no. 1/2, 1988, pages 3-6, XP000857353 ISSN: 0022-2844 the whole document	1-123, 133-136, 153-198, 200-204
	DE 196 46 372 C (EVOTEC BIOSYSTEMS GMBH) 19 June 1997 (1997-06-19) the whole document	1-123, 133-136, 153-198, 200-204





Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)	
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:	
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:	
Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful international Search can be carried out, specifically:	
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	
Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)	
This International Searching Authority found multiple inventions in this international application, as follows:	
see additional sheet	
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
3. As only some of the required additional search fees were timely paid by the applicant, this international Search Report covers only those claims for which fees were paid, specifically claims Nos.:	
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-123 complete, 133-136, 153-198, 200-204 partially	
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.	

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-123)-complete, (133-136,153-198,200-204)-partially

A method for synthesising a bifunctional complex comprising an encoded molecule and an identifier polynucleotide identifying the chemical entities having participated in the synthesis of the encoded molecule, said method comprising the steps of (i) providing a) at least one template comprising one or more codons capable of hybridising to an anti-codon, wherein said template is optionally associated with one or more chemical entities, and b) a plurality of building blocks each comprising an anti-codon associated with one or more chemical entities, and (ii) hybridising the anti-codon of one or more of the provided building blocks to the template, (iii) covalently linking said anti-codon and/or linking the at least one templete with the anti-codon of at least one building block, thereby generating an identifier polynucleotide capable of identifying chemical entities having participated in the synthesis of the encoded molecule, (iv) separating the template from one or more of the anti-codon hybridised thereto, thereby generating an at least partly single stranded identifier polynucleotide associated with a plurality of chemical entities, (v) generating a bifunctional complex comprising an encoded molecule and an identifier polynucleotide identifying the chemical entities having participated in the synthesis of the encoded molecule, wherein said encoded molecule is generated by reacting at least two of said plurality of chemical entities associated with the identifier polynucleotide, wherein said at least two chemical entities are provided by separate building blocks:

2. claims: (124-129)-complete, (132-136,153-198,200-204)-partially

A method of synthesising one or more bifunctional complexes each comprising a molecule resulting from the reaction of a plurality of chemical entities and an identifier polynucleotide identifying one or more of the chemical entities having participated in the synthesis of the molecule, said method comprising the steps of (i) providing a plurality of building blocks each comprising an oligonucleotide associated with on or more chemical entities, (ii) providing at least one connector oligonucleoitde capable of hybridising with one or more building block oligonulceoitdes, (iii) immobilising at least one building block to a solid support, (iv) hybridising said immobilized building block oligonucleotide to a first connector oligonucleotide, (v) hybridising at least one additional building block oligonucleotide to said first connector oligonucleotide, (vi) ligating building block oligonucleotides hybridised to the connector oligonucleotide, (vii) separating the connector polynucleotide from the ligated building block oligonucleotides, (viii) reacting one or more chemical entities associated with different building block oligonucleotides, thereby obtaining a first bifunctional complex comprising a first molecule or first molecule precursor linked to a first identifier oligonucleotide identifying the chemical entities having participated in the synthesis of the molecule or molecule precursor, wherein said first bifunctional complex is immobilized to a solid support:

3. claims: (130-131)-complete, (132-136,153-198,200-204)-partially

A method for synthesising a bifunctional complex comprising a molecule resulting from the reaction of a plurality of chemical entities, wherein said molecule is linked to an identifier polynucleotide identifying one or more of the chemical entities having participated in the synthesis of the molecule, said method comprising the steps of (i) providing a plurality of building blocks selected from the group consisting of a) building blocks comprising an identifier oligonucleotide linked to one or more chemical entities, b) building blocks comprising an identifier oligonucleotide linked to one or more reactive groups, c) building blocks comprising an identifier oligonucleotide comprising a spacer region, wherein said building blocks comprising a spacer region are preferably connector polynucleotides to which building blocks of group a) and b) can hybridise, (ii) generating a hybridisation complex comprising at least n building blocks by hybridising the identifier oligonucleotide one building block to the identifier oligonucleotide of at least one other building block, wherein is an integer of 4 or more, wherein at least 3 of said at least n building blocks comprise a chemical entity, wherein no single identifier oligonucleotide is hybridised to all of the remaining identifier oligonucleotides, wherein optionally at least one of said building blocks of group c) is immobilised to a solid support, thereby providing a handle to which an oligonucleotide of at least one building block of groups a) or b) can hybridise, iii) covalently linking identifier oligonucleotides of building blocks comprising one or more chemical entities, thereby obtaining an identifier polynucleotide comprising covalently linked chemical identifier oligonucleotides each associated with one or more chemical entities, (iv) optionally separating said identifier polynucleotide obtained i step (iv), from any immobilized connector oligonucleotide hybridised thereto, wherein said separation optionally comprisises the step of diverting said identifier polynucleotide comprising covalently linked identifier to a different reaction compartment, thereby separating said identifier polynucleotide from said immobilised connector oligonucleotides, (v) reacting said at least 3 chemical entities linked to the identifier polynucleotide, and (vi) obtaining a bifunctional complex comprising a molecule resulting from the reaction of a plurality of chemical entities.

4. claims: (137-152,205)-complete, (133-136,153-198,200-205)-partially

A method for synthesising a bifunctional complex comprising an encoded molecule and a template coding for one or more chemical entities which have participated in the synthesis of the encoded molecule, the method comprising the steps of (i) providing a) a template comprising one or more codons, b) one or more building blocks having an anti-codon associated with a chemical entity, and c) a nucleic acid sequence associated with a reactive site, (ii) contacting the template with one or more bulding blocks under conditions allowing for hybridisation between codon and anti-codons, (iii) ligating at least one anticodon of a building block to the nucleic acid sequence associated with the reactive site, and (iv) reacting the chemical entity of the ligated building block with the reactive site under conditions where the ligation product is single stranded, to obtain a template-encoded reaction product:

5. claim: 199

A library of different complexes, each complex comprising an encoded molecule and a template, which has encoded the chemical entities which has participated in the synthesis thereof, said library being obtainable by processing a plurality of building blocks;

INTERNATIONAL SEARCH REPORT

uation on patent family members

Int al Application No PCT/DK2004/000195

					,	~004/000195
Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 2004013070	Α	12-02-2004	WO	2004013070	A2	12-02-2004
WO 2004016767	A	26-02-2004	WO US	2004016767 2004180412	A2 A1	26-02-2004 16-09-2004
WO 02103008	A	27-12-2002	CA WO WO EP US WO WO WO WO	2451524 02103008 02102820 1402024 1401850 2003143561 2004049008 03078625 03078445 03078626 03078050 03078446	A1 A2 A1 A2 A1 A1 A1 A2 A2 A2 A2 A2	27-12-2002 27-12-2002 27-12-2002 27-12-2002 31-03-2004 31-03-2004 31-07-2003 11-03-2004 25-09-2003 25-09-2003 25-09-2003 25-09-2003 25-09-2003 25-09-2003
WO 02074929	A	26-09-2002	US CA EP WO	2003113738 2441820 1423400 02074929	A1 A2	19-06-2003 26-09-2002 02-06-2004 26-09-2002
WO 9504160	A	09-02-1995	AT AU CON DE DE DE FI WOUD DE US SUS US	69406544 69431967 711362 0711362 0778280 2108479 960403	T B2 A A1 A B D1 T2 D1 T3 A1 A2 A1 A2 A1 A2 A1 A1 A1 A1 A1	15-11-1997 15-01-2003 13-08-1998 28-02-1995 09-02-1995 18-09-1996 04-12-1997 26-02-1998 06-02-2003 22-12-1997 15-05-1996 11-06-1997 16-12-1997 29-01-1996 09-02-1995 30-09-1996 10-06-2002 25-02-1997 28-03-1996 27-10-2000 22-08-2002 23-06-1998 18-10-2001
WO 0023458	A	27-04-2000	AU CA EP WO	1318400 A 2346989 A 1123305 A 0023458 A	\1 \1	08-05-2000 27-04-2000 16-08-2001 27-04-2000
DE 19646372	С	19-06-1997	DE	19646372	: :1	19-06-1997